EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	867	(PDP or plasma same display$ same panel$6) and first same reset$6 same period$1 and second same reset$6 same period$1 and (follow $6 and first same reset$6 same period$1 and address$6 same period$1 and sustain$6 same period $1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 09:43
L2	176	(PDP or plasma same display$ same panel$6) and first same reset$6 same period$1 and second same reset$6 same period$1 and (follow $6 and first same reset$6 same period$1 and address$6 same period$1 and sustain$6 same period $1) and (set$6 same plural $6 same discharge$6 same cell$1 and first same reset$6 same period)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 09:52
L3	74	(PDP or plasma same display$ same panel$6) and first same reset$6 same period$1 and second same reset$6 same period$1 and (follow $6 and first same reset$6 same period$1 and address$6 same period$1 and sustain$6 same period $1) and (set$6 same plural $6 same discharge$6 same cell$1 and (first same reset$6 same period) and first same reset$6 same period$1 and ris$6 same voltage$1 same period$1 and fall$6 same voltage$1 same period$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 09:54

| L4 | 17 | (PDP or plasma same display$ same panel$6) and first same reset$6 same period$1 and second same reset$6 same period$1 and (follow $6 and first same reset$6 same period$1 and address$6 same period$1 and sustain$6 same period $1) and (set$6 same plural $6 same discharge$6 same cell$1 and (first same reset$6 same period) and first same reset$6 same period$1 and ris$6 same voltage$1 same period$1 and fall$6 same voltage$1 same period$1) and reset$6 same waveform$6 same appl$6 and first same electrode$1 and gradual $6 same rise$6 and during and ris$6 same voltage$1 same period$1 and gradual$6 same fall$6 and during and fal$6 same voltage$1 same period$1 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/11 09:54 |
| L5 | 17 | (PDP or plasma same display$ same panel$6) and first same reset$6 same period$1 and second same reset$6 same period$1 and (follow $6 and first same reset$6 same period$1 and address$6 same period$1 and sustain$6 same period $1) and (set$6 same plural $6 same discharge$6 same cell$1 and (first same reset$6 same period) and first same reset$6 same period$1 and ris$6 same voltage$1 same period$1 and fall$6 same voltage$1 same period$1) and reset$6 same waveform$6 same appl$6 and first same electrode$1 and gradual $6 same rise$6 and during and ris$6 same | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/11 09:56 |

		voltage$1 same period$1 and gradual$6 same fall$6 and during and fal$6 same voltage$1 same period$1 and (set$6 same plural$6 same discharge $6 same cell$1 and second same reset$6 same period$1) and (select$6 and discharge$6 same cell$1 and plural$6 same discharge$6 same cell$1)					
L6	5	(PDP or plasma same display$ same panel$6) and first same reset$6 same period$1 and second same reset$6 same period$1 and (follow $6 same first same reset $6 same period$1 and address$6 same period$1 and sustain$6 same period $1) and (set$6 same plural $6 same discharge$6 same cell$1 and (first same reset$6 same period) and first same reset$6 same period$1 and ris$6 same voltage$1 same period$1 and fall$6 same voltage$1 same period$1) and reset$6 same waveform$6 same appl$6 and first same electrode$1 and gradual $6 same rise$6 and during and ris$6 same voltage$1 same period$1 and gradual$6 same fall$6 and during and fal$6 same voltage$1 same period$1 and (set$6 same plural$6 same discharge $6 same cell$1 and second same reset$6 same period$1) and (select$6 and discharge$6 same cell$1 and plural$6 same discharge$6 same cell$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 09:57

| L7 | 5 | (PDP or plasma same display$ same panel$6) and first same reset$6 same period$1 and second same reset$6 same period$1 and (follow $6 same first same reset $6 same period$1 and address$6 same period$1 and sustain$6 same period $1) and (set$6 same plural $6 same discharge$6 same cell$1 and (first same reset$6 same period) and first same reset$6 same period$1 and ris$6 same voltage$1 same period$1 and fall$6 same voltage$1 same period$1) and reset$6 same waveform$6 same appl$6 and first same electrode$1 and gradual $6 same rise$6 and during and ris$6 same voltage$1 same period$1 and gradual$6 same fall$6 and during and fal$6 same voltage$1 same period$1 and (set$6 same plural$6 same discharge $6 same cell$1 and second same reset$6 same period$1) and (select$6 and discharge$6 same cell$1 and plural$6 same discharge$6 same cell$1) and address$6 same period$1 and discharg$6 same cell$1 and sustain$6 same period $1 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/11 09:58 |
| L8 | 92 | (PDP or plasma same display$ same panel$6) and first same reset$6 same period$1 and second same reset$6 same period$1 and (follow $6 same first same reset $6 same period$1 same address$6 same period$1 same sustain$6 same period$1) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/11 10:01 |

L9	0	(PDP or plasma same display$ same panel$6) and first same reset$6 same period$1 and second same reset$6 same period$1 and (follow $6 adj (first same reset$6 same period$1) and address$6 same period$1 and sustain$6 same period $1) and (set$6 same plural $6 same discharge$6 same cell$1 and first same reset$6 same period)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:02
L10	0	(PDP or plasma same display$ same panel$6) and first same reset$6 same period$1 and second same reset$6 same period$1 and follow $6 adj (first same reset$6 same period$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:03
L11	0	(PDP or plasma same display$ same panel$6) and plural$6 same reset $6 same period$1 and follow$6 adj (first same reset$6 same period$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:04
L12	385	(PDP or plasma same display$ same panel$6) and plural$6 same reset $6 same period$1 and (follow$6 or after) same (first same reset$6 same period$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:05
L13	0	(PDP or plasma same display$ same panel$6) and plural$6 same reset $6 same period$1 and (follow$6 or after) adj (first same reset$6 same period$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:05
L14	175	(PDP or plasma same display$ same panel$6) and plural$6 same reset $6 same period$1 and address$6 same period adj (follow$6 or after) and (first same reset$6 same period$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:06

L15	171	(PDP or plasma same display$ same panel$6) and plural$6 same reset $6 same period$1 and address$6 same period adj (follow$6 or after) and (first same reset$6 same period$1) and sustain$6 same period$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:07
L16	171	(PDP or plasma same display$ same panel$6) and plural$6 same reset $6 same period$1 and (address$6 same period adj (follow$6 or after) and (first same reset$6 same period$1) and sustain$6 same period$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:07
L17	142	(PDP or plasma same display$ same panel$6) and plural$6 same reset $6 same period$1 and address$6 same period adj (follow$6 or after) and (first same reset$6 same period$1) and sustain$6 same period$1 adj (follow $6 or after)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:09
L18	27	(PDP or plasma same display$ same panel$6) and plural$6 same reset $6 same period$1 and address$6 same period adj (follow$6 or after) and (first same reset$6 same period$1) and first same reset$6 same period$1 same rise$6 same voltage $! same period$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:13
L19	27	(PDP or plasma same display$ same panel$6) and plural$6 same reset $6 same period$1 and address$6 same period adj (follow$6 or after) and (first same reset$6 same period$1) and first same reset$6 same period$1 same rise$6 same voltage $1 same period$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:13

L20	27	(PDP or plasma same display$ same panel$6) and plural$6 same reset $6 same period$1 and address$6 same period adj (follow$6 or after) and (first same reset$6 same period$1) and first same reset$6 same period$1 same rise$6 same voltage $1 same period$1 and fall $6 same voltage$1 same period$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:14
L21	24	(PDP or plasma same display$ same panel$6) and plural$6 same reset $6 same period$1 and address$6 same period adj (follow$6 or after) and (first same reset$6 same period$1) and first same reset$6 same period$1 same (rise$6 same voltage $1 same period$1 and fall $6 same voltage$1 same period$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:14
L22	0	(PDP or plasma same display$ same panel$6) and plural$6 same reset $6 same period$1 and address$6 same period adj (follow$6 or after) and (first same reset$6 same period$1) and first same reset$6 same period$1 same (rise$6 same voltage $1 same period$1 and fall $6 same voltage$1 same period$1) same gardual$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:14
L23	0	(PDP or plasma same display$ same panel$6) and plural$6 same reset $6 same period$1 and address$6 same period adj (follow$6 or after) and (first same reset$6 same period$1) and (first same reset$6 same period$1 same (rise$6 same voltage $1 same period$1 and fall $6 same voltage$1 same period$1) and gardual$6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:16

L24	7	(PDP or plasma same display$ same panel$6) and plural$6 same reset $6 same period$1 and address$6 same period adj (follow$6 or after) and (first same reset$6 same period$1) and (first same reset$6 same period$1 same (rise$6 same slop$6 same voltage$1 same period$1 and fall$6 same slop$6 same voltage$1 same period$1))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:17
L25	24	(PDP or plasma same display$ same panel$6) and plural$6 same reset $6 same period$1 and address$6 same period adj (follow$6 or after) and (first same reset$6 same period$1) and (first same reset$6 same period$1 same (rise$6 same voltage $1 same period$1 and fall $6 same voltage$1 same period$1))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:20
L26	7	(PDP or plasma same display$ same panel$6) and plural$6 same reset $6 same period$1 and address$6 same period adj (follow$6 or after) and (first same reset$6 same period$1) and (first same reset$6 same period$1 same (rise$6 same slop$6 same voltage$1 same period$1 and fall$6 same slop$6 same voltage$1 same period$1))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:20
L27	2	(PDP or plasma same display$ same panel$6) and plural$6 same reset $6 same period$1 and address$6 same period adj (follow$6 or after) and (first same reset$6 same period$1) and (first same reset$6 same period$1 same (rise$6 same voltage $1 same period$1 and fall $6 same voltage$1 same period$1)) and reset$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:21

		same waveform$6 same appl$6 and first same electrode$1 and gradual $6 same rise$6 and during and ris$6 same voltage$1 same period$1 and gradual$6 same fall$6 and during and fal$6 same voltage$1 same period$1 and (set$6 same plural$6 same discharge $6 same cell$1 and second same reset$6 same period$1) and (select$6 and discharge$6 same cell$1 and plural$6 same discharge$6 same cell$1) and address$6 same period$1 and discharg$6 same cell$1 and sustain$6 same period $1					
L28	1938	(PDP or plasma same display$6 same panel$6) and reset$6 same waveform$6 same appl$6 same first electrode$1 same gradual$6 SAME rise $6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:28
L29	577	(PDP or plasma same display$6 same panel$6) and reset$6 same waveform$6 same appl$6 same first electrode$1 same gradual$6 SAME rise $6 same during same ris $6 same voltage$1 same period$1 same gradual$6 same fall$6 same during same fall$6 same voltage $1 same period$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:29
L30	545	(PDP or plasma same display$6 same panel$6) and reset$6 same waveform$6 same appl$6 same first electrode$1 same gradual$6 SAME rise $6 same during same ris $6 same voltage$1 same period$1 same gradual$6 same fall$6 same during same fall$6 adj voltage$1 same period$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:53

L31	541	(PDP or plasma same display$6 same panel$6) and reset$6 same waveform$6 same appl$6 same first electrode$1 same gradual$6 SAME rise$6 same during same ris$6 adj voltage$1 same period$1 same gradual$6 same fall$6 same during same fall$6 adj voltage$1 same period$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:53
L32	0	(PDP or plasma same display$6 same panel$6) and reset$6 same waveform$6 same appl$6 same first same electrode$1 same gradual$6 SAME rise$6 same during same ris$6 adj voltage$1 same period$1 same gradual$6 same fall$6 same during same fall$6 adj voltage$1 same period$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:54
L33	1	(PDP or plasma same display$6 same panel$6) and reset$6 same waveform$6 same appl$6 same first same electrode$1 same gradual$6 SAME rise$6 same during same ris$6 same voltage$1 same period$1 same gradual$6 same fall$6 same during same fall$6 same voltage$1 same period$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:54
L34	68	(PDP or plasma same display$6 same panel$6) and reset$6 adj waveform$6 same appl$6 same first same electrode$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:56

L35	0	(PDP or plasma same display$6 same panel$6) and reset$6 adj waveform $6 same appl$6 same first same electrode$1 same gradual$6 same rise$6 same during same ris$6 same voltage$1 same period$1 same gradual$6 same fall$6 same during same fall$6 same voltage $1 same period$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:56
L36	0	(PDP or plasma same display$6 same panel$6) and reset$6 adj waveform $6 same appl$6 same first same electrode$1 same gradual$6 same rise$6 same during same ris$6 same voltage$1 same period$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:57
L37	2	(PDP or plasma same display$6 same panel$6) and reset$6 adj waveform $6 same appl$6 same first same electrode$1 same gradual$6 same rise$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:57
L38	0	(PDP or plasma same display$6 same panel$6) and reset$6 adj waveform $6 same appl$6 same first same electrode$1 same gradual$6 same rchang$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:17
L39	4	(PDP or plasma same display$6 same panel$6) and reset$6 adj waveform $6 same appl$6 same first same electrode$1 same gradual$6 same chang$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:17
L40	16	(PDP or plasma same display$6 same panel$6) and reset$6 adj waveform $6 same appl$6 same first same electrode$1 and voltage$1 same gradual$6 same chang$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:18
L41	13	(PDP or plasma same display$6 same panel$6) and reset$6 adj waveform $6 same appl$6 same first same electrode$1 and voltage$1 same gradual$6 adj chang$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:19

L42	5	(PDP or plasma same display$6 same panel$6) and reset$6 adj waveform $6 same appl$6 same first same electrode$1 and voltage$1 adj gradual$6 adj chang$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:19
L43	5	(PDP or plasma same display$6 same panel$6) and reset$6 adj waveform $6 same appl$6 same first same electrode$1 and reset$6 adj voltage$1 same gradual$6 same chang$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:20
L44	15	(PDP or plasma same display$6 same panel$6) and reset$6 adj waveform $6 same appl$6 same first same electrode$1 same reset$6 same period$1 and voltage$1 same gradual$6 same chang$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:21
L45	42	(PDP or plasma same display$6 same panel$6) and plural$6 same reset $6 same period$1 and reset$6 adj waveform$6 same appl$6 same first same electrode$1 same reset$6 same period$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:26
L46	0	(PDP or plasma same display$6 same panel$6) and plural$6 same reset $6 same period$1 and reset$6 adj waveform$6 same appl$6 adj (first same electrode$1) same reset$6 same period$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:26
L47	0	(PDP or plasma same display$6 same panel$6) and plural$6 same reset $6 same period$1 and reset$6 adj waveform$6 and appl$6 adj (first same electrode$1) same reset $6 same period$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:27

L48	2	(PDP or plasma same display$6 same panel$6) and plural$6 same reset $6 same period$1 and reset$6 adj waveform$6 and appl$6 adj (first same electrode$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:27
L49	28	(PDP or plasma same display$6 same panel$6) and plural$6 same reset $6 same period$1 and misfir$6 same eras$6 same period$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:28
L50	4	(PDP or plasma same display$6 same panel$6) and plural$6 same reset $6 same period$1 and misfir$6 same eras$6 adj period$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:29
L51	2	"6,034,482".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:44
L52	6	"6,034,482".pn. (PDP or plasma same display$6 same panel$6) and plural $6 same reset$6 same period$1 and misfir$6 same eras$6 adj period$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:44
L53	0	"6,034,482".pn. and (PDP or plasma same display$6 same panel$6) and plural $6 same reset$6 same period$1 and misfir$6 same eras$6 adj period$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:45
L54	2	"6,034,482".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:45
L55	4	("5420602" | "5446344" | "5583527" | "5744909"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/11 11:45
L56	0	("5420602" | "5446344" | "5583527" | "5744909"). PN. and (PDP or plasma same display$6 same panel$6) and plural$6 same reset$6 same period $1 and misfir$6 same eras $6 adj period$1	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/11 11:45

L57	42	("6034482").URPN.	USPAT	OR	OFF	2008/08/11 11:46
L58	0	("6034482").URPN. and (PDP or plasma same display$6 same panel$6) and plural$6 same reset $6 same period$1 and misfir$6 same eras$6 adj period$1	USPAT	OR	OFF	2008/08/11 11:46
L59	0	"20020180669" and (PDP or plasma same display$6 same panel$6) and plural $6 same reset$6 same period$1 and misfir$6 same eras$6 adj period$1	USPAT	OR	OFF	2008/08/11 11:46
L60	0	"20020180669"	USPAT	OR	OFF	2008/08/11 11:47
L61	2	"20020180669"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:47
L62	0	"20020180669" and (PDP or plasma same display$6 same panel$6) and plural $6 same reset$6 same period$1 and misfir$6 same eras$6 adj period$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:47
L63	2	"20020180669"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:47
L64	2	("2002/0180669").URPN.	USPAT	OR	OFF	2008/08/11 11:48
L65	0	("2002/0180669").URPN. and (PDP or plasma same display$6 same panel$6) and plural$6 same reset $6 same period$1 and misfir$6 same eras$6 adj period$1	USPAT	OR	OFF	2008/08/11 11:48
L66	0	"20040155836" and (PDP or plasma same display$6 same panel$6) and plural $6 same reset$6 same period$1 and misfir$6 same eras$6 adj period$1	USPAT	OR	OFF	2008/08/11 11:48
L67	1	"20040155836"	USPAT	OR	OFF	2008/08/11 11:48

L68	3	"20040155836"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:49
L69	0	("2004/0155836").URPN.	USPAT	OR	OFF	2008/08/11 11:49
L70	0	"20040155836" and (PDP or plasma same display$6 same panel$6) and plural $6 same reset$6 same period$1 and misfir$6 same eras$6 adj period$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:50
L71	2	"6,628,087".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:50
L72	0	"6,628,087".pn. and (PDP or plasma same display$6 same panel$6) and plural $6 same reset$6 same period$1 and misfir$6 same eras$6 adj period$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:50
L73	4	("5559402" | "6211867" | "6448950" | "6538627"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/11 11:51
L74	0	("5559402" | "6211867" | "6448950" | "6538627"). PN. and (PDP or plasma same display$6 same panel$6) and plural$6 same reset$6 same period $1 and misfir$6 same eras $6 adj period$1	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/11 11:51
L75	0	("5559402" | "6211867" | "6448950" | "6538627"). PN. and (PDP or plasma same display$6 same panel$6) and plural$6 same reset$6 same period $1 and misfir$6 same eras $6 adj period$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:51
L76	3	("6628087").URPN.	USPAT	OR	OFF	2008/08/11 11:52

L77	0	("6628087").URPN. and (PDP or plasma same display$6 same panel$6) and plural$6 same reset $6 same period$1 and misfir$6 same eras$6 adj period$1	USPAT	OR	OFF	2008/08/11 11:52
L78	0	("6628087").URPN. and (PDP or plasma same display$6 same panel$6) and plural$6 same reset $6 same period$1 and misfir$6 same eras$6 adj period$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:52
L79	2	"7,012,579".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:53
L80	5	("6144349" | "6320560" | "6362799" | "6653994" | "6784859").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/11 11:53
L81	3	("7012579").URPN.	USPAT	OR	OFF	2008/08/11 11:53
L82	0	"7,012,579".pn. and (PDP or plasma same display$6 same panel$6) and plural $6 same reset$6 same period$1 and misfir$6 same eras$6 adj period$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:54
L83	0	("6144349" | "6320560" | "6362799" | "6653994" | "6784859").PN. and (PDP or plasma same display$6 same panel$6) and plural $6 same reset$6 same period$1 and misfir$6 same eras$6 adj period$1	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/11 11:54
L84	0	("7012579").URPN. and (PDP or plasma same display$6 same panel$6) and plural$6 same reset $6 same period$1 and misfir$6 same eras$6 adj period$1	USPAT	OR	OFF	2008/08/11 11:55
L85	5	"0657861"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:55

L86	5	"0657861"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:58
L87	0	"0657861" and (PDP or plasma same display$6 same panel$6) and plural $6 same reset$6 same period$1 and misfir$6 same eras$6 adj period$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 12:00
L88	0	"0657861" and (PDP or plasma same display$6 same panel$6) and plural $6 same reset$6 same period$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 12:04

8/11/2008 12:12:45 PM
C:\Documents and Settings\pdharia\My Documents\EAST\Workspaces\10796597 08-11-2008.wsp